ATTORNEY DOCKET NO. Q68151 PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

e application of

Takuya MIYAKAWA, et al.

Appln. No. 10/031,442

Group Art Unit: NOT YET ASSIGNED

Confirmation No.: NOT YET ASSIGNED

Examiner: NOT YET ASSIGNED

Filed: January 22, 2002

HEAD MEMBER, METHOD FOR INK-REPELLENT TREATMENT AND For:

APPARATUS FOR THE SAME

REQUEST FOR FORWARDING OF THE OFFICIAL FILING RECEIPT

Commissioner for Patents Washington, D.C. 20231

Sir:

The Official Filing Receipt for U.S. Serial No. 10/031,442 filed on January 22, 2002 has not yet been received by the undersigned. Applicants respectfully request that an Official Filing Receipt be forwarded for this application. If an Official Filing Receipt has already been forwarded, a duplicate Official Filing Receipt is now requested.

Respectfully submitted,

SUGHRUE MION, PLLC 2100 Pennsylvania Avenue, N.W.

Washington, D.C. 20037-3213

Telephone: (202) 293-7060 Facsimile: (202) 293-7860

Date: April 4, 2002

Darryl Mexic

Registration No. 23,063

O 1 P E 10 1 2002 APR 0 4 2002 IN 3PH

ATTORNEY DOCKET NO. Q68151 PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Takuya MIYAKAWA, et al.

Appln. No. 10/031,442

Group Art Unit: NOT YET ASSIGNED

Confirmation No.: NOT YET ASSIGNED

Examiner: NOT YET ASSIGNED

Filed: January 22, 2002

For: HEAD MEMBER, METHOD FOR INK-REPELLENT TREATMENT AND

APPARATUS FOR THE SAME

REQUEST FOR APPROVAL OF PROPOSED DRAWING CORRECTION

Commissioner for Patents Washington, D.C. 20231

Sir:

Applicants request the Examiner's approval of the change to Figure 9 as shown in red in

the attached copy of original Figure 9.

On the assumption that the proposed drawing change will be approved, the drawing submitted herewith incorporate the change to Figure 9.

Respectfully submitted,

SUGHRUE MION, PLLC

2100 Pennsylvania Avenue, N.W.

Washington, D.C. 20037-3213

Telephone: (202) 293-7060 Facsimile: (202) 293-7860

Date: April 4, 2002

Darryl Mexic

Registration No. 23,063